

ABSTRACT

5 A photocurable resin composition suitable for use in three-dimensional photofabrication comprising (A) a cationically polymerizable organic compound, (R) a cationic photoinitiator, and (C) a (co)polymer obtainable by (co)polymerization of monomers comprising at least one (meth)acrylate-group comprising monomer.

 A process for producing a three-dimensional object which comprises the use of a washing agent having a Hansen-solubility between 27-35 (Mpa)^{1/2}.